

INDEX MAPS.

T. 8 N. R. 10 E. 2nd Mer.

	74		74		73 75		73 75		73 75		73 75	
78	6	97	5	92	4	89	3	85	2	84	1	72
	97		97		92		88		85		83	
77	7	96	8	92	9	88	10	84	11	83	12	72
	96		96		91		88		84		83	
77	18	96	17	91	16	87	15	84	14	82	13	72
	95		95		91		87		82		80	
77	19	94	20	90	21	87	22	82	23	80	24	71
	94		94		90		86		81		79	
76	30	93	29	90	28	86	27	81	26	79	25	71
	93		93		87		86		81		78	
76	31	93	32	89	33	85	34	80	35	78	36	70
	67		67		67		67		67		68	
	70		69		69		69		68			

T. 9 N. R. 10 E. 2nd Mer.

	104		104		104		104		105		105	
	106		106		106							
108	6	129	5	125	4	122	3	120	2	118	1	104
	129		128		124		122		120		118	
108	7	128	8	124	9	122	10	119	11	118	12	103
	128		127		124		121		119		118	
107	18	127	17	123	16	121	15	119	14	110	13	103
	127		126		123		121		118		110	
107	19	126	20	123	21	120	22	118	23	110	24	102
	126		125		116		114		112		109	
107	30	125	29	115	28	114	27	111	26	109	25	102
	125		117		115		113		111		109	
106	31	116	32	115	33	113	34	111	35	108	36	101
	100		99		99		99		99		99	
		100		101		101		101		101		101

The figures on the lines refer to the page.

Township N. 9 North, Range N. 10 East 2. Mer. Ind. 99
ch. 1/2 lks

South Boundary, Random line

West On S. boundary of Sec. 36

5.00 a Brook 6 lks wide Course S.W.

12.00 a Creek 40 " " " S.

40.00 Set temp'y. of Sec. post

80.00 Set temp'y. Cor. to Secs. 35 & 36

Sand flat, timber Beech, Maple, Elm, Oak
Aichory, Poplar &c.

West On S. boundary of Sec. 35

22.40 a Brook 20 lks wide Course S.W.

40.00 Set temp'y. of Sec. post

80.00 Set temp'y. Cor. to Secs. 34 & 35

Sand timber &c. Same as on the last mile

West On S. boundary of Sec. 34

40.00 Set temp'y. of Sec. post

62.28 a Brook 12 lks wide Course S.W.

68.50 a do. 4 " " " S.W.

72.00 a do. 4 " " " S.

78.00 a do. 4 " " " S.E.

80.00 Set post temporarily, Cor. to Secs. 33 & 34

Sand level, timber Beech, Oak, Poplar,
Aichory, Sugar &c. Jan'y. 17th. 1807

West On S. boundary of Sec. 33

40.00 Set temp'y. of Sec. post

47.40 a Brook 8 lks wide Course S.W.

65.10 a do. 9 " " " S.W.

80.00 Set temp'y. Cor. to Secs. 32 & 33

Sand timber &c. Same as on last mile

West On S. boundary of Sec. 32

12.20 a Brook 4 lks wide Course S.W.

31.00 a do 5 " " " S.W.

40.00 Set temp'y. of Sec. post

Ty. N. R. 10 E. 2nd. Mer. Indiana
 ch^d. 4th
 80.00 Set temp^y. Cor. to Sec^s. 31 & 32
 Land level, timber Beech, Oak, Poplar, Sugar².

West On S. boundary of Sec. 31
 17.00 a Brook 8th. wide Course S. W.
 40.00 Set temp^y. gr. Sec. post
 43.00 a Brook ~~a Creek~~ 5th. wide C^r. S. W.
 50.75 a Creek 70th. wide Course S 80 W
 68.00 Do. 70 " " " N. W.
 72.75 Do. 70 " " " S 70 W.
 86.18 Full 470th. North of Town Corner
 Land Having, timber Beech, Oak, Poplar,
 Hickory, Sugar &c.

True Line

East On S. boundary of Sec. 31
 3.25 a Creek 70th. wide Course S. W.
 19.90 Same 70 " " " S. W.
 24.80 Same 70 " " " S. W.
 32.00 a Sugar 24 in. dia.
 46.18 Set gr. Sec. post, from which
 a Beech 3 m. dia. bray N 26 W 25th. dist. of
 a Do. 12 " " " N 3 E 6 " "
 68.20 a Poplar 16 " "
 86.18 Set post Cor. to Sec^s. 31 & 32, from which
 a Beech 7 m. dia. bray N 36 W 5th. dist. of
 a Sugar 13 " " " S 30 W 17 " "

East On S. boundary of Sec^s. 32
 22.13 a Hickory 15th in. dia.
 40.00 Set gr. Sec. post, from which
 a Beech 26 m. dia. bray N 52 E 21th. dist. of
 a Do. 6 " " " N 48 W 14 " "
 80.00 Set post Cor. to Sec^s. 32 & 33, from which
 a S. Gum 36 m. dia. bray N 79 E 22th. dist. of
 a Beech 12 " " " N 64 W 23 " "

101

T9 N R10 E, 2^d Mer. Indiana

ch² lth

East On S. boundary of Sec. 33

40.00 Set gr. Sec. post, from which
a Beech 15 mi. dia. bray S 84° W 6 lth. dist. of
a Poplar 36 " " " S 82° E 34 " "

63.50 a Beech 16 " "

80.00 Set post Cor. to Secs. 33 & 34, from which
a Poplar 60 mi. dia. bray N 34° W 23 lth. dist. of
an Ash 16 " " " S 76° E 14 " "

East On S. boundary of Sec. 34

38.25 a Beech 24 mi. dia.

40.00 Set gr. Sec. post, for which
a Beech 13 mi. dia. gr. Sec. post, from which
a Do 10 " " bray S 69° E 27 lth. dist.

80.00 Set post Cor. to Secs. 34 & 35, from which
a Sugar 16 mi. dia. bray N 20° E 15 lth. dist. of
a P. Oak 36 " " " S 39° W 4 " "

East On S. boundary of Sec. 35

40.00 Set gr. Sec. post, from which
a Beech 12 mi. dia. bray S 44° W 8 lth. dist. of
a Do. 13 " " " N 12° W 11 " "

80.00 Set post Cor. to Secs. 35 & 36, from which
a Beech 10 mi. dia. bray N 11° W 6 lth. dist. of
a Do. 9 " " " S 8 1/2° E 32 " "

East On S. boundary of Sec. 36

40.00 Set gr. Sec. post, from which
a Maple 12 mi. dia. bray N 34° W 17 lth. dist. of
a Beech 5 " " " S 15° E 7 " "

80.00 To Township Corner. Jan'y. 12th. 1807

East Boundary var. 5.00' E.

North On E. boundary of Sec. 36

0.80 a Beech 24 mi. dia.

3.00 a Brook 8 lth. wide Course W.

T9N - R10E, 2^d. Mer. Indianach. 2nd 1/4

12.63 a Beech 30 mi. dist.

39.40 a Brook 5th wide Course N.40.00 Let gr. Sec. post, from which
a Beech 15 mi. dist. bran N 76 W 39th dist. of
a do. 12 " " " N 62 E 6 " "

55.82 a P. Gum 22 " "

63.25 a Brook 8th wide Course S. W.

67.11 a W. Oak 42 mi. dist.

75.76 a Brook 5th wide Course S. W.80.00 Let post Cor. to Sec. 25 & 36 from which
a Hornbeam 6 mi. dist. bran N 41 E 17th dist. of
a Beech 14 " " " N 45 W 21 " "Land waving, timber Beech, Oak, Sugar,
Aichory, Poplar &c. Jan. 12th 1807

North On E. boundary of Sec. 25

19.10 a Brook 5th wide Course S. W.

18.27 a Sweet Gum 22 mi. dist.

40.00 Let gr. Sec. post, from which
a Beech 16 mi. dist. bran N 71 W 8th dist. of
a do. 11 " " " N 45 E 34 " "

77.48 a Poplar 48 " "

80.00 Let post Cor. to Sec. 24 & 25, from which
a Beech 24 mi. dist. bran N 37 W 34th dist. of
a W. Oak 42 " " " N 24 E 29 " "Land level, timber Beech, Oak, Aichory,
Poplar, Oak &c. endingth same

North On E. boundary of Sec. 24

40.00 Let gr. Sec. post, from which
a P. Gum 13 mi. dist. bran N 50 E 13th dist. of
a Beech 7 " " " N 33 W 12 " "

49.10 a Beech 28 " "

73.70 a Poplar 24 " "

80.00 Let post Cor. to Sec. 13 & 24 from which
a Beech 7 mi. dist. bran N 33 E 2th dist. of

103
T9 N R10 E, 2^d. Mer. Indiana
ch²ly

a Beech 9 mi. dist. by S47W19th. dist. of
Land flat, timber Beech, Gum, Poplar, Oak
 Hickory, Maple &c.

North On E. boundary of Sec. 13

30.32 an Elm 20 mi. dist.

36.60 a Brook 6th. wide Course S.W.

40.00 Set of Sec. post, from which
an Elm 22 mi. dist. by South 9th. dist. of
a Beech 24 " " " N17E46 " "

43.58 a Do 22 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 12 mi. dist. by South 8th. dist. of
a Do. 11 " " " N22E12 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 12

9.59 a Beech 24 mi. dist.

16.40 a Brook 6th. wide C.S. with the line then runs N.E.

33.40 a W. Oak 40 mi. dist.

37.21 Indian boundary a Beech 4 mi. dist. (marked
for the corner, from which
a W. Oak 32 mi. dist. by S51W20th. dist. of
a Beech 7 " " " N48E " "

January 15th 1807

John Brownson, L.S.

40.00 Set of Sec. post, from which
a Beech 14 mi. dist. by N42W10th. dist. of
a Do. 13 " " " N71E16 " "

47.94 an Elm 24 " "

80.00 Set post Cor. to Sec. 11 of 12, from which
a ——— 16 mi. dist. by N71E16th. dist. of
a Sugar 12 " " " N33W25 " "

South of the boundary level — North of same
Rolling, timber Beech, Sugar, Poplar, Maple &c

104 T9 N - R10 E. 2^d Mer. Indiana

ch. 1/2 m.
North On E. boundary of Sec. 1
5.50 a Brook 10 m. wide Course S. E.
19.50 a do 10 " " " S. E.
20.00 a Sycamore 3 1/2 m. dist.
40.00 Set q^r. Sec. post from which
a Sugar 1 1/2 m. dist. by N 17 E 28 m. dist. of
at Beech 13 " " " N 6 W " "
41.50 a W. Oak 48 "
76.81 Set post Cor. to Townships 9 & 10 N. R10 E
N East 2^d Mer. from which
at Beech 8 m. dist. by N 34 W 2 m. dist. of
a do 9 " " " N 19 E 16 " "
Over rolling land, Oak, Beech, Sugar &c.
ending at Office June 24th. 1819

North Boundary, Random Line

East On S. boundary of Sec. 31, T10 N. R10 E.
32.50 a Creek 50 m. wide Course S. W.
40.00 Set temp^y. q^r. Sec. post
80.00 Set temp^y. Cor. to Sec. 31 & 32
Over rolling land, timber Beech, Poplar &c.

East On S. boundary of Sec. 32, T10 N. R10 E.
21.81 a Brook 10 m. wide N. W.
40.00 Set temp^y. q^r. Sec. post
65.56 a Brook 7 m. wide Course S. W.
80.00 Set temp^y. Cor. to Sec. 32 & 33
Land timber &c. same as on last mile

East On S. boundary of Sec. 33, T10 N. R10 E
40.00 Set temp^y. q^r. Sec. post,
80.00 Set temp^y. Cor to Sec. 33 & 34
Over level wet land, timber Beech, Maple &c.

East On Rand^d. S. boundary of Sec. 34, T10 N. R10 E
40.00 Set temp^y. q^r. Sec. post

105

T9st. R10 E. 2^d. Mer. Indiana

ch. 4th

44.50 at Brook 7th m. wide Course S.

72.50 a Creek 20 " " S.W.

80.00 Set temp. Cor. to Sect. 34 & 35

Over rolling land, Beech, Sugar, &c. and 9th m. Spruce

East On S. boundary of Sec. 35, T10 N. R10 E.

40.00 Set temp. gr. Sec. post

58.59 at Brook 5th m. wide Course S.W.

80.00 Set temp. Cor. to Sect. 35 & 36

Over level land, timber Beech, Sugar & Spruce

East On S. boundary of Sect. 36, T10 N. R10 E.

40.00 Set temp. gr. Sec. post

61.24 at Brook 8th m. wide Course S.

77.46 Intersected the N & S. line between Ranges
10 & 11 E of T9 & 10 N. Over level, Beech Land

True Line

West On S. boundary of Sec. 36, T10 N. R10 E.

40.00 Set gr. Sec. post, from which

a Beech 8 m. thar. bray S60 E 16th m. dist. of

a Do. 8 " " " N33 W 11 " "

80.00 Set post Cor. to Sect. 35 & 36, from which

a Beech 10 m. thar. bray N29 E 5th m. dist. of

a Do. 14 " " " S51 E 30 " "

West On S. boundary of Sec. 35, T10 N. R10 E

40.00 Set gr. Sec. post, from which

a Beech 5 m. thar. bray S52 E 7th m. dist. of

a Do. 8 " " " S86 W 7 " "

80.00 Set post Cor. to Sect. 34 & 35, from which

an Elm 5 m. thar. bray N14 E 13th m. dist. of

a Poplar 12 " " " N16 W 14 " "

West On S. boundary of Sec 34, T10 N. R10 E.

40.00 Set gr. Sec. post, from which

T9 St. R10 E. 2^d. Mer. Indiana
ch. l. l. h.

a Sugar 13 mi. dist. by N 9 E 18 l. h. dist. of
a Beech 11 " " " S 50 E 5 " "
80.00 Set post Cor. to Sec. 33 & 34, from which
a Beech 13 mi. dist. by N 36 E 10 l. h. dist. of
a Do. 4 " " " S 14 E 9 " "

West On S. boundary of Sec. 33, T10 N. R10 E.

40.00 Set q. Sec. post, from which
a Beech 10 mi. dist. by S 56 W 5 l. h. dist. of
a Do. 8 " " " N 77 E 15 " "
80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 9 mi. dist. by S 82 E 19 l. h. dist. of
a Sugar 6 " " " N 80 W 9 " "

West On S. boundary of Sec. 32, T10 N. R10 E.

40.00 Set q. Sec. post, from which
a Beech 10 mi. dist. by N 13 E 7 l. h. dist. of
a Do. 18 " " " S 53 W 9 " "
80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 14 mi. dist. by S 45 W 11 l. h. dist. of
a Do. 20 " " " N 74 E 28 " "

West On S. boundary of Sec. 31, T10 N. R10 E.

40.00 Set q. Sec. post, from which
a Sycamore 10 mi. dist. by S 43 E 22 l. h. dist. of
a Do. 20 " " " N 43 W 21 " "
78.50 to the Down Corner

John McDonald, H.S.

West Boundary

North On E. boundary of, Sec. 36, T9 St. R9 E

7.95 a Brook 6 l. h. wide Corner E.
40.00 Set q. Sec. post, from which
a Beech 16 mi. dist. by N 11 W 32 l. h. dist. of
a Do. 7 " " " S 13 E 21 " "
58.30 Intersected Indian boundary, set post, from which

107
T9 N R10 E, 2^d Mer. Indiana
ch. l. l. l.

a Maple 12 in. dia. bray N45 W 26 l. dist. of
a Beech 14 " " " N68 E 18 "

This distance land level, Oak, Beech, Hickory
Ash, Poplar &c. December 4th 1886

John Brownson, R. S.

From the Boundary line

22.00 Set post Cor. to Sec. 25 & 36, from which
a Beech 10 in. dia. bray N48 W 11 l. dist. of
a Do. 6 " " " N29 W 34 " "

North On E. boundary of Sec. 25, T9 N. R9 E.

40.00 Set q. Sec. post, from which
a Beech 9 in. dia. bray N77 W 11 l. dist. of
a Do. 18 " " " N47 E 28 " "

80.00 Set post Cor. to Sec. 24 & 25, from which
a Beech 24 in. dia. bray N15 W 11 l. dist. of
a Do. 15 " " " N7 E 29 " "
Over level wet Beech land

North On E. boundary of Sec. 24, T9 N. R9 E.

40.00 Set q. Sec. post, from which
a Beech 24 in. dia. bray N7 E 28 l. dist. of
a Do. 10 " " " N43 E 11 " "

53.50 a Brook 10 l. wide Comae S. W.

80.00 Set post Cor. to Sec. 13 & 24, from which
a Beech 16 in. dia. bray N39 E 7 l. dist. of
a Do. 13 " " " N50 W 5 " "
Over level wet land, timber Beech, Poplar &c.
underg^g. Spruce

North On E. boundary of Sec. 13, T9 N. R9 E.

40.00 Set q. Sec. post from which
an Ash 24 in. dia. bray N61 W 6 l. dist. of
a Beech 14 " " " N29 E 17 " "

80.00 Set post Cor. to Sec. 12 & 13, from which
a Beech 18 in. dia. bray N43 E 7 l. dist. of

T9 N R10 E. 2^d Mer. Indiana

ch. 1st 1/2

a Gum 28 in. dia. bray N 5 E 17 1/2 th. dist. of
Over level wet land timber Beech, Gum &c.

North On E. boundary of Sec. 12, T9 N. R9 E.

38.30 a Creek 20 th. wide Course S. W.

40.00 At q^r. Sec. post, from which

a Beech 18 in. dia. bray N 72 E 5 th. dist. of

a do. 8 " " " S 71 W 10 "

80.00 Set post Cor. to Sec. 1 of 12, from which

a Sugar 12 in. dia. bray N 84 W 2 1/2 th. dist. of

a Beech 10 " " " S 74 E 1 1/4 "

Over rolling land, timber Sugar, Beech,
Poplar &c. undugth. Spruce

North On E. boundary of Sec. 1, T9 N. R9 E.

26.80 a Creek 50 th. wide Course S. W.

34.80 a Brook 15 " " " S. W.

40.00 At q^r. Sec. post, from which

a Beech 14 in. dia. bray S 55 E 12 th. dist. of

a do. 12 " " " N 86 E 9 "

80.00 Set post Cor. to Township 9 of 10 North, of

Ranges 9 of 10 East, from which

a Beech 14 in. dia. bray N 8 W 7 th. dist. of

a Sugar 20 " " " S 27 W 4 3/4 "

Over rolling land timber Beech, Sugar &c.

Surveyed June 9th 1819 By Jas. H. McDonald,

For John M. McDonald,

Deputy Surveyor

Subdivision.

North Between Sec. 35 & 36, T9 N. R10 E.

2.75 a Beech 28 in. dia.

40.00 At q^r. Sec. post, from which

a N. Gum 40 in. dia. bray South 7 th. dist. of

a Beech 12 " " " N 2 E 2 1/2 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which

S. 9 N. 10 E. 2^d. Mer. Indiana 109

ch. 1/2

a S. Gum 28 in. dia. bray South 3/4 th. dist. of
any Elm 9 " " " N 9 1/2 W 3 " "
Land level, timber Beech, B & Sweet Gum &c

East On Land 8^m. between Sec. 25 & 36

40.00 Set temp. q. Sec. post

78.65 Intersected E. boundary at post

Over level Beech land

West Connected between Sec. 25 & 36

38.77 a S. Gum 30 in. dia.

39.32 1/2 Set q. Sec. post at average disk from which

a Hickory 18 in. dia. bray S 11 E 6 th. dist. of

a W. Oak 20 " " " N 40 W 24 " "

78.65 to Sec. Corner

North Between Sec. 25 & 26

8.65 a Hickory 23 in. dia.

40.00 Set q. Sec. post, from which

a Beech 10 in. dia. bray S 38 E 11 th. dist. of

a Do. 20 " " " S 35 W 15 " "

80.00 Set post Cor. to Sec. 23, 24, 25 & 26, from which

an Elm 30 in. dia. bray N 48 W 48 th. dist. of

a Hickory 20 " " " S 56 E 36 " "

Over level land, Beech, Poplar, Gum, Hick. &c.

East On Land 8^m. between Sec. 24 & 25

40.00 Set temp. q. Sec. post

78.50 Intersected E. boundary 44 th. N. of post

Land timber &c. Same as on last mile

West Connected between Sec. 24 & 25

39.25 Set q. Sec. post, from which

a Beech 20 in. dia. bray S 47 E 29 th. dist. of

a Do. 16 " " " N 35 W 14 " "

46.50 a Beech 25 " "

S. N. R. N. E. 2nd. Mer. Indiana
 ch. lly
 78.50 to Sec. Corner

North Between Sec. 23 & 24

0.60 a Hickory 23 mi. dist.

40.00 Set gr. Sec. post, from which
 at Sec. 10 mi. dist. by N 65 W 8 lly. dist. of
 a Do. 30 " " " South 19 " "

80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which
 a D. Gum 30 mi. dist. by N 73 E 22 lly. dist. of
 a Beech 17 " " " N 74 W 29 " "
 Over level land timber Beech, P & S. Gum
 Hickory, W & D. Oak &c.

East On Rand. between Sec. 13 & 24

40.00 Set temp. gr. Sec. post

78.50 Intersected E. boundary 30 lly. S. of post
 Land timber &c. same as on last mile

West Connected between Sec. 13 & 24

37.80 a W. Oak 28 mi. dist.

39.25 Set gr. Sec. post, at average dist. from which
 at Beech 40 mi. dist. by N 12 E 22 lly. dist. of
 a Do. 18 " " " N 70 W 15 " "

78.50 to Sec. Corner.

North Between Sec. 13 & 14

3.75 a D. Gum 27 mi. dist.

40.00 Set gr. Sec. post, from which
 at Beech 7 mi. dist. by N 37 E 7 lly. dist. of
 a Sugar 30 " " " N 83 W 39 " "

66.30 Intersected Indian boundary, set post, from which
 at Beech 20 mi. dist. by N 64 W 26 lly. dist. of
 a Do. 14 " " " N 60 E 15 " "
 Level 2nd. rate Beech land

West Between Sec. 12 & 13

111

T 9 N R 10 E 2^d Mer. Indiana

ch. lth

- 3.50 a W. Oak 30 mi. dist.
 40.00 Set gr. Sec. post, from which
 a Hickory 25 mi. dist. by N 22 E 32 lth. dist. of
 an Elm 27 " " " N 14 W 29 " "
 57.13 Intersected Indian boundary, set post, from which
 a Beech 12 mi. dist. by N 62 1/2 E 23 lth. dist. of
 a Do. 10 " " " S 52 W 29 " "
 Level poor Beech land. Jan. 27th 1807

North Between Secs. 34 & 35

- 2.27 a Beech 20 mi. dist.
 40.00 Set gr. Sec. post, from which
 a Beech 18 mi. dist. by N 67 E 12 lth. dist. of
 a Do. 20 " " " N 63 W 20 " "
 80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
 a Beech 20 mi. dist. by N 11 E 35 lth. dist. of
 a Do. 30 " " " S 34 W 3 " "
 level 2^d rate Beech land

East On Land 9^m, between Secs. 26 & 35

- 40.00 Set temp. gr. Sec. post,
 80.00 Intersected W & S line, 50 lth. S. of post
 Land level 2^d rate, Beech, Red Gum &c.

West Connected between Secs. 26 & 35

- 40.00 Set gr. Sec. post at average dist. from which
 a Beech 20 mi. dist. by N 58 W 31 lth. dist. of
 a Do. 25 " " " East 11 " "
 42.00 a Beech 30 " "
 80.00 to Sec. Corner

North Between Secs. 26 & 27

- 5.86 a Hickory 23 mi. dist.
 40.00 Set gr. Sec. post, from which
 a Hickory 19 mi. dist. by N 67 E 20 lth. dist. of
 a Beech 12 " " " S 50 W 11 " "

112

Sgt R. E. J. Mar. Indiana

ch. l. m.

80.00 Set post Co. to Sec. 22, 23, 26 & 27, from which
a Beech 18 in. dia. bray N 46 E 30 l. m. dist. of
a Do. 30 " " " S 72 W 19 " "
Level 2nd rate land, timber Beech, Hickory
Poplar &c. undergth Spruce & Beech

East On Rand^m between 23 & 26

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 30 l. m. S. of post
Sand timber &c. same as on last mile

West Corrected between Sec. 23 & 26

38.00 a Hickory 19 in. dia.

40.00 Set q^r. Sec. post at average dist. from which
a Beech 16 in. dia. bray N 69 E 15 l. m. dist. of
a Do. 20 " " " S 81 W 30 " "

80.00 to Sec. Corner.

North Between Sec. 22 & 23

8.40 a W. Oak 23 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 12 in. dia. bray N 80 E 26 l. m. dist. of
a Sugar 20 " " " S 39 W 8 " "

46.00 a Brook 10 l. m. wide Course W.

65.00 enter fallen timber

80.00 Set post Co. to Sec. 14, 15, 22 & 23, from which
an Elm 20 in. dia. bray S 48 W 15 l. m. dist. of
a Beech 16 " " " N 38 E 35 " "
Over high rich land Beech, 12 W. Oak
From 65.00 to 80.00 chain fallen timber E & W.

East On Rand^m, between Sec. 14 & 23

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 10 l. m. S. of post
Level poor Beech land.

113

Sgt. R. C. E. 2^d. Mer. Indiana

chilly

West Corrected between Sec. 14 & 23

0.85 a Beech - mi. dist.

40.00 Let q. Sec. post at average dist. from which
a Beech 16 mi. dist. by N 10 W 19 lks. dist. of
a Do. 18 " " " N 23 E 4 " "

80.00 to Sec. Corner

North Between Sec. 14 & 15

3.75 a S. Gum 27 mi. dist.

17.38 Intersected Indian boundary, let post, from which
a Beech 20 mi. dist. by N 53 W 41 lks. dist. of
a Do. 30 " " " N 68 E 71 " "
Over level rich land Beech, Ash &c.

West Between Sec. 15 & 22

10.65 a Sugar 15 mi. dist.

28.03 Intersected Indian boundary, let post, from which
a Beech 19 mi. dist. by N 49 W 15 lks. dist. of
a Do. 15 " " " N 76 E 19 " "

North Between Sec. 33 & 34

7.25 a Beech 25 mi. dist.

40.00 Let q. Sec. post, from which
a Beech 23 mi. dist. by N 33 W 28 lks. dist. of
a Do. 12 " " " S 11 E 4 " "

74.00 a Brook 15 lks. wide Course W.

80.00 Let post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 20 mi. dist. by N 30 W 14 lks. dist. of
a Do. 19 " " " S 9 E 30 " "
Level Beech land

East On Land 9^m. between Sec. 27 & 34

10.00 a Brook 15 lks. wide Course S.W

40.00 Let temp. q. Sec. post

75.00 Intersected the N & S. line at the post
Over high Beech land.

114 Sg. N. R. W. E. 2^d Mer. Indiana

at 1/4

West Corrected between Secs. 27 & 34

3.00 a Beech 18 mi. dist.

37.50 Set q^r. Sec. post at average dist. from which
a Beech 35 mi. dist. by way N 89° W 12 mi. dist. of
a Do. 11 " " " N 40° W 14 " "

75.00 to Sec. Corner.

North Between Secs. 27 & 28

7.50 a Sugar 16 mi. dist.

40.00 Set q^r. Sec. post, from which
an Elm 25 mi. dist. by way N 15° E 42 mi. dist. of
a Beech 12 " " " N 7° E 4 " "

79.00 a Brook 17 mi. wide Course S. W.

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which
a W. Oak 17 mi. dist. by way N 16° E 38 mi. dist. of
an Ash 22 " " " N 29° W 34 " "

Over high 2^d rate land, Beech, Poplar, Ash &c.

East On Land 8^m. between Secs. 22 & 27

1.50 a Brook 17 mi. wide Course S. W.

40.00 Set temp^y. q^r. Sec. post

75.20 Intersected the N & S line 16 mi. N. of post
Land timber &c. same. Jan^y. 29th. 1807

West Corrected between Secs. 22 & 27

37.60 Set q^r. Sec. post at average dist. from which
a Sugar 8 mi. dist. by way N 8° E 13 mi. dist. of
a Do. 16 " " " N 8° W 10 " "

35.04 a Beech 16 " "

75.20 to Sec. Corner.

North Between Secs. 21 & 22

13.18 a Sugar 18 mi. dist.

40.00 Set q^r. Sec. post from which
a Sugar 17 mi. dist. by way N 78° W 24 mi. dist. of
a Beech 19 " " " N 89° E 30 " "

115

S 9 N N 10 E 2nd Mer. Indiana

ch. 1st 50.83 Intersected Indian Boundary let post from which
a Beech 25 in. dia. - bear S 56 W 10 lb. dist. 5
a Sugar 18 " " " N 60 E 47 " "
Over rich land, timber B & W. Oak

North Between Secs. 32 & 33

4.00 a Beech 36 in. dia.

40.00 let gr. Sec. post, from which
a Beech 18 in. dia. - bear N 38 E 21 lb. dist. 5
a Do. 17 " " " South 21 " "

80.00 let post Cor. to Secs. 28, 29, 32 & 33, from which
a Beech 20 in. dia. - bear S 85 W 17 lb. dist. 5
a Do. 18 " " " S 79 E 10 " "
Level 2nd rate land Beech, B & W. Oak &c.

East On Rand. between Secs. 28 & 33

40.00 let temp. gr. Sec. post

50.00 at Brook 20 lb. wide Course N. W.

80.00 Intersected the N & S. line at the post
Over high 2nd rate land, Beech, ash, B & W. Oak

West Connected between Secs. 28 & 33

0.71 a W. Oak 72 in. dia.

40.00 let gr. Sec. post at average dist. from which
a Beech 12 in. dia. - bear S 67 W 24 lb. dist. 5
a Sugar 20 " " " S 74 E 19 " "

80.00 to Sec. Corner

North Between Secs. 28 & 29

2.95 a Sugar 24 in. dia.

11.50 at Brook 20 lb. wide Course N.

40.00 let gr. Sec. post, from which
a Beech 11 in. dia. - bear N 25 W 11 lb. dist. 5
a Do. 14 " " " S 21 E 24 " "

47.50 a Creek 40 lb. wide Course S. W

80.00 let post Cor. to Secs. 20, 21, 28 & 29, from which

T9 N R10 E 2^d. Mer. Indiana

ch. lth

a Beech 16 in. dia. bray N25W39Ch. dist. of
 a do 16 " " " S2W20 " "
 Over high 2^d rate land, Beech, Poplar, Ash,
 Hickory, B & W. Oak, etc. winding Spruce

East On Rand^m. between Sect. 21 & 28

20.00 a Brook 40 lth. wide Course S.W.

40.00 Set tempy. gr. Sec. post

80.00 Intersected the N & S line at the post
 from 20 ch. to 75 ch. up a brook 17 lth. wide
 and cross it repeatedly. Land rich
 Beech, B. Walnut, B & W. Oak

West Correlated between Sect. 21 & 28

3.00 a Beech 18 in. dia.

40.00 Set gr. Sec. post, from which
 an Elm 40 in. dia. bray N81E35Ch. dist. of
 a Beech 12 " " " S81W33 " "

80.00 to Sec. Corner

North Between Sect. 20 & 21

1.50 Intersected Indian boundary, Set post, from which
 a Beech 20 in. dia. bray N48E18Ch. dist. of
 a do 25 " " " S25W27 " "

West Between Sect. 20 & 29

1.71 Intersected the Indian boundary, Set post, from which
 a Beech 20 in. dia. bray N64E34Ch. dist. of
 a do. 25 " " " S30W11 " "

North Between Sect. 31 & 32

5.42 a Beech 20 in. dia.

40.00 Set gr. Sec. post, from which
 a W. Oak 20 in. dia. bray North 14 lth. dist. of
 a do. 20 " " " South 41 " "

41.00 a Creek 50 lth. wide Course S30W

117

S 9 N R 10 E 2nd. Mer. Indiana
ch. 2nd 1/2
80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Beech 20 mi. dist. bearing N 74 E 34th. dist. of
a loc. 18 " " " 22 N 32 " "
Hilly poor land Beech, W. Oak &c.

East On Range between Sec. 29 & 32
20.00 a Creek 50th. wide Course S.
40.00 Set temp. gr. Sec. post
80.07 Intersected the N & S line at the post
Over high 2nd. rate land Beech, Poplar &c.

West Connected between Sec. 29 & 32
36.80 a Sugar 21 mi. dist.
40.00 Set gr. Sec. post, at average dist. from which
a Sugar 25 mi. dist. bearing N 70 W 20th. dist. of
a Beech 12 " " " 82 E 6 " "
80.00 to Sec. Corner

North Between Sec. 29 & 30
26.18 a Beech 19 mi. dist.
32.60 Intersected Indian boundary, set post, from which
a Sugar 20 mi. dist. bearing S 20 W 42th. dist. of
a Beech 10 " " " 85 E 24 " "
up a Brook 30th. wide

West Between Sec. 30 & 31
4.50 a Brook 30th. wide Course S.
10.00 a Sugar 20 mi. dist.
40.00 Set gr. Sec. post, from which
a Beech 20 mi. dist. bearing N 72 W 10th. dist. of
a loc. 17 " " " 64 E 32 " "
52.42 Intersected an Indian boundary set post, from which
a Beech 18 mi. dist. bearing N 73 E 26th. dist. of
a loc. 15 " " " 62 W 26 " "
Over high rich land, timber Beech & Poplar
Jan. 29th. 1807 John Brownson, D. S.

Tg N N 10 E. 2nd. Mer. Indiana

ch. lky

In the New Purchase

North Between Sec. 13 & 14 var. 5.00' E
13.70 Set post Cor. to Sec. 11, 12, 13 & 14 in thicket
in fallen timber no bearing trees

East Between Sec. 12 & 13

20.97 Intersected the Old Boundary at Corner

North Between Sec. 11 & 12

33.50 leave fallen timber

40.00 Set gr. Sec. post, from which

a Beech 10 mi. dist. bearing N 39° 22' E 10 mi. dist. of

a Loc. 15 " " " N 60° E 10 " "

59.80 a Hickory 12 " "

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which

a Beech 16 mi. dist. bearing S 82° 47' 19" E 19 mi. dist. of

a Loc. 16 " " " S 24° E 11 " "

Flat wet land Beech, Oak, Maple &c. and gr. Spruce.

East On Land^m between Sec. 1 & 12

40.00 Set temp. gr. Sec. post

77.87 Intersected E boundary 50 mi. S. of post
Sand timber &c. same as on the last mile

West Corrected between Sec. 1 & 12

38.93 Set gr. Sec. post at average dist. from which

a Beech 4 mi. dist. bearing N 6° E 4 mi. dist. of

a Loc. 18 " " " S 42° N 21 " "

77.87 to Sec. Corner.

North Between Sec. 1 & 2

19.20 a Maple 30 mi. dist.

40.00 Set gr. Sec. post, from which

a Poplar 10 mi. dist. bearing N 49° 16' E 16 mi. dist. of

a W. Elm 20 " " " N 80° E 24 " "

63.34 a Poplar 24 " "

Sg. N. W. E. I. ¹¹⁹ Mr. Indiana

Ch. 117

80.60 Intersected N. boundary 18.13 lks. E. of post
 at post Cor. to Sec. 1, 14 & 2 from which
 a Beech 20 in. dia. - bearing N 33 W 25 lks. dist. of
 a Do. 24 " " " N 16 W 19 " "
 Flat with 3rd rate land Beech, maple, Elm &c.
 undergth Spruce.

North Between Sec. 14 & 15

22.62 at q^r. Sec. post in fallen timber
 32.00 leave fallen timber
 60.80 a Beech 12 in. diam.
 62.82 at post Cor. to Sec. 9, 10, 15 & 14, from which
 a Sugar 20 in. dia. - bearing N 25 W 20 lks. dist. of
 a Beech 18 " " " S 32 E 11 " "
 Broken 3rd rate land, Beech, Hickory, Oak,
 &c. undergth Dogwood, Pring &c

East On Rand^m, between Sec. 11 & 14

40.00 at temp^y q^r. Sec. post
 57.50 enter fallen timber fallen
 79.88 Intersected tract of S. line 320 lks. S. of post.
 Flat m^d land, Beech, Oak, Hickory, Maple
 undergth Beech &c.

West Corrected between Sec. 11 & 14

39.94 at q^r. Sec. post at average dist. from which
 a Hickory 10 in. dia. - bearing N 33 W 16 lks. dist. of
 a Maple 14 " " " N 45 E 13 " "
 79.88 to Sec. Corner

North Between Sec. 10 & 11

25.20 a Sugar 24 in. dia.
 40.00 at q^r. Sec. post, from which
 a Poplar 30 in. dia. - bearing S 70 E 2 lks. dist. of
 a C. Oak 18 " " " N 70 W 3 " "
 56.35 a Beech 12 " "

120 T. 9 N. R. 10 E. 2^d. Mer. Indiana

ch. P. 1/4

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Beech 10 mi. dist. by S 85 E 11^{1/2} lks. dist. of
a Loc. 16 " " " S 82 W 15 " "
Rolling 3rd rate land, timber Beech, underg.
Spruce, Dogwood &c

East On Land^{gm} between Sec. 2 & 11

40.00 Set temp. gr. Sec. post

79.95 Intersected the N. & S. line 32 lks. S. of post
Flat wet land, Beech, Hickory, Maple &c
underg. Beech, Spruce &c

West Corrected between Sec. 2 & 11

39.97 Set gr. Sec. post at average dist. from which
a W. Ash 12 mi. dist. by N 40 E 7 lks. dist. of
a Hickory 12 " " " N 60 E 24 " "

79.95 Section Corner

North Between Sec. 2 & 3

20.05 a Sugar 12 mi. dist.

40.00 Set gr. Sec. post, from which

a Beech 15 mi. dist. by N 36 E 7 lks. dist. of
a Loc. 4 " " " S 82 W 28 " "

64.90 a Beech 24 " "

78.85 Intersected N. boundary 7.20 lks. E. of post
Set post Cor. to Sec. 2 & 3, from which
a D. Oak 4 mi. dist. by N 65 E 6 lks. dist. of
a Hickory 3 " " " N 60 W 6 " "
Rolling 2nd rate land, Beech, Sugar, Poplar,
Ash &c. underg. Spruce.

North Between Sec. 21 & 22

29.17 Set post Cor. to Sec. 15, 16, 21 & 22 in fallen
timber no bearing trees
Flat land grown over with Prairie &c

S. N. R. W. E. D. Mer. Indiana 121

ch. l. by
East On Rand^m between Sec. 15 & 22
40.00 Set temp^t. of Sec. post
46.70 Intersected Old Boundary 219 lks. S. of post
Over flat land, no timber left standing

West Corrected between Sec. 15 & 22
37.55 Set gr. Sec. post at average dist. from which
there are no bearings in Fallen
Timber
75.10 (whole dist.) to Sec. Corner

North Between Sec. 15 & 16
7.50 Crossed the Muscackituck run, S. W.
9.00 left fallen timber
23.72 at Beech 24 mi. dist.
40.00 Set gr. Sec. post, from which
a Beech 12 mi. dist. by N 6 E 7 lks. dist. of
a Sugar 16 " " " N 29 W 22 " "
61.35 at Beech 18 " "
80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Sugar 14 mi. dist. by S 83 E 25 lks. dist. of
a Do. 12 " " " N 60 W 13 " "
Broken 2^d rate land, Beech, Sugar, Ash &c.
underg^d Spruce &c

East On Rand^m between Sec. 10 & 15
40.00 Set temp^t. of Sec. post
44.30 Crossed Muscackituck 50 lks. wide run, S.
75.26 Intersected the N. of D. line 238 lks. S. of post
Broken 3^d rate land, Beech, Oak, Poplar &c
underg^d Spruce, Dogwood &c.

West Corrected between Sec. 10 & 15
37.63 Set gr. Sec. post at average dist. from which
at Beech 10 mi. dist. by S 72 E 8 lks. dist. of
a do. 12 " " " S 88 W 28 " "

S. 9 N. R. 10 E. 2^d Mer. Indiana
 ch^d 1/4
 75.26 to Sec. Corner

North Between Sec. 9 & 10

19.10 at Beech 12 mi. dist.
 40.00 Set of Sec. post, from which
 at Beech 18 mi. dist. by S 25 N 16 E 1/4 mi. dist. of
 a Do. 12 " " " N 5 E 13 " "
 63.28 at Beech 12 " "
 80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Beech 12 mi. dist. by N 67 W 17 E 1/4 mi. dist. of
 a Do. 10 " " " N 74 E 8 " "
 Hills, 3rd rate land Beech, Oak, Poplar
 & undergrowth Spruce &c

East On Land^{gr} between Sec. 3 & 10

25.00 Crossed Muscackituck 25 E. wide Cr. & S.
 40.00 Set temp. of Sec. post
 75.42 Intersected the N. & S. line 227 E. S. of post
 Land timber &c. Same as on last mile

West Cor. between Sec. 3 & 10

37.71 Set of Sec. post at average dist. from which
 a H. Oak 18 mi. dist. by S 59 W 15 E 1/4 mi. dist. of
 a Beech 30 " " " N 26 E 36 " "
 75.42 to Sec. Corner.

North Between Sec. 3 & 4

24.28 at Beech 16 mi. dist.
 40.00 Set of Sec. post, from which
 at Beech 10 mi. dist. by S 44 W 7 E 1/4 mi. dist. of
 a Do. 18 " " " N 78 E 13 " "
 59.00 at Maple 20 " "
 76.05 Intersected N. boundary 12.00 E. of post
 Set post Cor. to Sec. 3 & 4, from which
 a Beech 12 mi. dist. by N 75 E 9 E 1/4 mi. dist. of
 a Do. 14 " " " S 67 W 13 " "

123

Tgt NWE. 2^d. Mer. Indiana
Ch. Lk. Flat wet 3^d. rate land Beech, Oak, Poplar,
Maple, Gum &c.

North Between Sec. 1, 20 & 21

25.90 a Poplar 60 mi. dist.

30.00 enter fallen timber

38.70 Set q^r. Sec. post in fallen timber

No bearing trees

61.00 leave fallen timber

78.70 Set post Cor. to Sec. 1, 16, 17, 20 & 21, from which
at Beech 12 mi. dist. bearing N 30 E 18 km. dist. of
a dco. 8 " " " S 23 W 12 " "

Level 3^d. rate land Beech, Oak, Poplar &c. undg^r.
Spruce, dogwood &c.

East On Land^m. between Sec. 1, 16 & 21

40.00 Set temp. q^r. Sec. post

54.00 enter fallen timber

75.28 contacted the N of S. line 16 km. S. of post

Flat wet land, Beech, Oak, Hickory, Maple &c.

West Connected between Sec. 1, 16 & 21

37.64 Set q^r. Sec. post at average dist. from which
at Maple 20 mi. dist. bearing S 3 W 28 km. dist. of
at Beech 12 " " " N 3 E 17 " "

75.28 to Sec. Corner.

North Between Sec. 1, 16 & 17

31.00 a Beech 24 mi. dist.

40.00 Set q^r. Sec. post, from which

at Beech 24 mi. dist. bearing North 28 km. dist. of
a dco. 12 " " " S 55 W 16 " "

63.25 at Beech 15 " "

80.00 Set post Cor. to Sec. 1, 8 & 9, 16 & 17, from which
at Beech 24 mi. dist. bearing S 82 E 35 km. dist. of
a dco. 20 " " " N 82 W 6 " "

124

Tpt N W E. 2nd Mer. Indiana
 ch. l. l. Rolling 3rd rate Beech land
 undergth Spruce &c.

East On Rand^m between Sec. 9 & 16
 40.00 Set of Sec. post temporarily
 75.36 Intersected the N & S line 172 lks. S. of post
 Land timber &c. Same as on the last mile

West Corrected between Sec. 9 & 16
 37.68 Set of Sec. post at average dist. from which
 at Beech 15 in. dia. bray S 24 W 17 lks. dist. of
 a do. 12 " " " N 30 E 38 lks. "
 75.36 to Sec. Corner.

North Between Sec. 8 & 9
 12.75 at Beech 30 in. dia.
 40.00 Set of Sec. post, from which
 at Beech 20 in. dia. bray S 30 W 19 lks. dist. of
 a do. 6 " " " N 28 E 11 " "
 70.00 at Beech 20 " "
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 at Beech 18 in. dia. bray N 17 E 23 lks. dist. of
 a do. 20 " " " S 15 W 14 " "
 Flat wet land, Beech, Hickory, Maple Elm
 undergth Spruce &c.

East On Rand^m between Sec. 4 & 9
 40.00 Set temp. of Sec. post
 75.40 Intersected the N & S line 183 lks. S. of post
 Land timber &c. Same as on the last mile

West Corrected between Sec. 4 & 9
 37.70 Set of Sec. post at average dist. from which
 at Hickory 24 in. dia. bray S 76 E 25 lks. dist. of
 at Beech 15 " " " N 76 W 25 " "
 75.40 to Sec. Corner.

Sgt. R. M. E. 2^d. Mer. Indiana 125

ch. 1th

North Between Secs. 4 & 5

23.67 a Beech 24 mi. dist.

40.00 Set of Sec. post, from which
a Beech 20 mi. dist. by N 75 E 30 km. dist. of
a W. Ash 24 " " " N 55 W 23 " "

57.94 a W. Elm 30 " "

79.86 Intersected N. boundary 15.40^{ch. 1th} E. of post

Set post Cor. to Secs. 4 & 5, from which

a Beech 12 mi. dist. by West 6 km. dist. of

a Do. 6 " " " S 80 E 28 " "

Flat wet land, Beech, Oak, Hickory, Maple &c.

West Between Secs. 30 & 31, (From the boundary line)

21.38 a Beech 20 mi. dist.

34.54 Intersected W. boundary 50 km. S. of post

Set post Cor. to Secs. 30 & 31, from which

a Beech 30 mi. dist. by N 4 W 11 km. dist. of

a Do. 15 " " " S 37 E 27 " "

Hilly 3^d rate Beech land, underg^d. Dogwood

North Between Secs. 29 & 30, (From post in boundary)

3.40 Set of Sec. post, from which

a Beech 10 mi. dist. by N 7 E 23 km. dist. of

a Do. 14 " " " N 41 W 23 " "

28.45 a Sugar 12 " "

29.40 enter fallen timber

43.40 Set post Cor. to Secs. 19, 20, 29 & 30 in fallen
timber, (no bearing trees very Bushy)

East On Road^m. between Secs. 20 & 29

40.00 Set temp. of Sec. post

78.76 Intersected the N & S line 300 km. S. of post

Broken 3^d rate land, Beech, Oak, Hickory
&c. underg^d. Dogwood &c.

West Corrected between Secs. 20 & 29

126

Sg. N. N10 E. 2nd Mer. Indianach. 1st 1/2

39.38 Set q^r. Sec. post at average dist. from which
 a Beech 12 mi. dist. from, 148 N 16 E 1/2 mi. dist. of
 a W. Oak 14 " " " N 68 E 18 " "
 78.76 to Sec. Corner.

West Between Secs. 19 & 30

31.60 a W. Oak 30 mi. dist.

40.00 Set q^r. Sec. post from which
 a Beech 10 mi. dist. from, 120 N 18 E 1/2 mi. dist. of
 a Hickory 15 " " " N 63 E 13 " "

59.37 a Beech 10 " "

87.34 Intersected N. boundary 86 mi. S. of post
 Set post Cor. to Secs. 19 & 30, from which
 a Beech 10 mi. dist. from, 127 E 34 N 1/2 mi. dist. of
 a Do. 16 " " " N 68 W 15 " "
 illy 3rd rate land, Beech, Oak, Hickory &c.
 undgth Spruce, Dogwood &c

North Between Secs. 19 & 20

25.00 left fallen timber

40.00 Set q^r. Sec. post, from which
 a Beech 10 mi. dist. from, 170 E 5 N 1/2 mi. dist. of
 a W. Oak 8 " " " N 36 W 19 " "

62.05 a Beech 18 " "

80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which
 a Beech 12 mi. dist. from, 146 N 14 E 1/2 mi. dist. of
 a Do. 18 " " " N 85 E 13 " "
 Level 3rd rate land, Beech, Hickory, Poplar &c.
 undgth Spruce &c.

East On Rand. between Secs. 17 & 20

40.00 Set temp^y. q^r. Sec. post

78.64 Intersected the N. & S. line 300 mi. S. of post
 Flat wetland, Beech, Hickory, Gum &c. undgth Spruce

West Connected between Secs. 17 & 20

127

Tyler N 10 E. 2^d Mer. Indiana
 chiller
 39.32 Set of Sec. post, at average dist. from which
 a Beech 20 m. dist. by N 82 E 19 lns. dist. of
 a do. 24 " " " N 29 W 25 " "
 78.64 to Sec. Corner.

West Between Sec 17 & 18
 27.36 a Beech 24 m. dist.
 40.00 Set of Sec. post, from which
 a Beech 10 m. dist. by N 58 E 11 lns. dist. of
 a do. 10 " " " N 65 W 11 " "
 67.00 a Sugar 12 " "
 88.76 Intersected N. boundary 148 lns. S. of post
 Set post Cor. to Sec. 18 & 19, from which
 a Beech 8 m. dist. by N 7 W 4 lns. dist. of
 a do. 6 " " " S 39 E 23 " "
 Level 3rd rate land, Beech, Oak, Hickory &c.
 under 1st Dogwood, Spruce &c.

North Between Sec. 17 & 18
 24.06 a Poplar 36 m. dist.
 40.00 Set of Sec. post, from which
 a Beech 15 m. dist. by N 20 E 10 lns. dist. of
 a Poplar 40 " " " South 11 " "
 61.00 a Beech 20 " "
 80.00 Set post Cor. to Sec. 17, 18, 19, from which
 a W. Oak 60 m. dist. by N 85 W 25 lns. dist. of
 a Beech 20 " " " S 13 E 26 " "
 Rolling 3rd rate land, Beech, Oak, Hickory
 Poplar, &c. under 1st Spruce.

East On Land between Sec. 8 & 17
 40.00 Set. temp. of Sec. post
 79.00 Intersected the N & S. line 310 lns. S. of post
 Flat wet land, Beech, Oak, Maple &c.

West Connected between Sec. 8 & 17

Sgt. N.W.E. 2nd Mer. Indiana

ch. lth.

39.50 Set q. Sec. post at average dist. from which
a Maple 30 mi. dist. by S 10 E 21 lth. dist. of
a Poplar 12 " " " N 45 W 14 " "

79.00 to Sec. Corner

West Between Sec. 7 & 18

23.75 at Beech 18 mi. dist.

40.00 Set q. Sec. post, from which
at Beech 24 mi. dist. by North 6 lth. dist. of
a Gum 30 " " " East 17 " "

60.30 at Beech 18 " "

90.28 Intersected N. boundary 125 lth. S. of post
Set post Conto Sec. 7 & 18, from which
(Bearings Omitted)

Flat wet land Beech, Oak, Gum, Maple &c.
windingth Spruce &c

North Between Sec. 7 & 8

18.76 at Beech 18 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 14 mi. dist. by N 43 W 21 lth. dist. of
a Do. 6 " " " N 46 W 15 " "

57.50 at Beech 20 " "

80.00 Set post Conto Sec. 5, 6, 7 & 8, from which
a Beech 18 mi. dist. by S 22 W 12 lth. dist. of
a Do. 12 " " " N 41 E 15 " "
Level 3rd rate land, Beech, Oak, Hickory &c.

East Run between Sec. 5 & 8

40.00 Set temp. q. Sec. post

79.30 Intersected the N & S. line 278 lth. S. of post
Land timber &c. Same as on last mile

West Connected between Sec. 5 & 8

39.65 Set q. Sec. post at average dist. from which
a Beech 20 mi. dist. by S 56 W. 7 lth. dist. of

129

S 9 N N W E. 2^d Mer. Indiana
ch. 1^{ly} a Beech 8 mi. dist. bearing N 66 E 28 ch. dist.
79.30 to Section Corner.

West Between Sec. 1, 6 & 7
17.66 a Beech 30 mi. dist.
40.00 Let off Sec. post from which
a Beech 10 mi. dist. bearing N 23 W 19 ch. dist. of
a Maple 16 " " " S 49 E 12 " "
63.94 a W. Oak 18 " "
90.68 Intersected N. boundary 137 ch. S. of post
Let post Cor. to Sec. 1, 6 & 7, from which
a Beech 20 mi. dist. bearing S 30 E 8 ch. dist. of
a Do. 9 " " " S 27 W 7 " "
Land flat Beech, Oak, Hickory, Maple &c.

North Between Sec. 5 & 6
23.57 a Hickory 12 mi. dist.
40.00 Let off Sec. post, from which
a Beech 20 mi. dist. bearing S 82 E 17 ch. dist. of
a W. Elm 12 " " " N 64 W 21 " "
62.37 a Maple 24 " "
80.94 Intersected N. boundary 16.76 ch. E. of post
Let post Cor. to Sec. 5 & 6, from which
a Beech 20 mi. dist. bearing N 43 W 3 ch. dist. of
a Do. 8 " " " North 31 " "
Land, timber &c. same as on last mile
December 3rd 1819
Bethuel F. Morris,
Deputy Surveyor

Conf.

I Certify that the foregoing transcript of field notes of
Township N^o. 9 North, Range N^o. 10 East D. Mer. Indiana
has been compared with the original notes in this office,
and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 26, 1842

William Johnston
Sur. Genl.